Author Index

Agostini, D. (see Bertini, L.), 565
Albertano, P. (see Canini, A.), 247
Alexander, I. J. (see Moyersoen, B.), 311
Altamirano, M. (see Flores-Moya, A.), 673
Amsellem, L. (see Brouat, C.), 459
Anthony, J. (see McLean, C. B.), 589
Asman, W. A. H., Sutton, M. A. & Schjørring, J. K., Ammonia: emission, atmospheric transport and deposition, 27
Ayres, P. G., Editorial, 231
Azcón-Aguilar, C. (see Bago, B.), 375
Bagni, N. (see Rabiti, A. L.), 549
Bago, B., Azcón-Aguilar, C., Goulet, A. & Piché, Y., Branched absorbing structures (BAS): a feature of the extraradical mycelium of symbiotic arbuscular mycorrhizal fungi, 375
——, Bentivenga, S. P., Brenac, V., Dodd, J. C., Piché, Y., Simon, L., Molecular analysis of *Gigaspora* (Glomales, Gigasporaceae), 581
Bailey, N. J. (see Goulding, K. W. T.), 49
Barlow, P. W. (see Chaffey, N. J.), 623
Barnes, J. D. (see Davison, A. W.), 135
Barnett, J. R. (see Chaffey, N. J.), 623
Beck, A., Friedl, T. & Rambold, G., Selectivity of photobiont choice in a defined lichen community: inferences from cultural and molecular studies, 709
Bédécarrats, A. (see Gauthier, P.), 741
Bentivenga, S. P. (see Bago, B.), 581
Bertini, L., Agostini, D., Potenza, L., Rossi, I., Zeppa, S., Zambonelli, A. & Stocchi, V., Molecular markers for the identification of the ectomycorrhizal fungus *Tuber borchii*, 565
Betti, L. (see Rabiti, A. L.), 549
Bigot, J. & Boucaud, J., Effects of synthetic plant growth retardants and abscisic acid on root functions of *Brassica rapa* plants exposed to low root-zone temperature, 255
Bobbink, R., Impacts of tropospheric ozone and airborne nitrogenous pollutants on natural and semi-natural ecosystems: a commentary, 161
Boller, T. (see Xie, Z.-P.), 361
Bonnett, G. D. (see Willenbrink, J.), 471
Bortolotti, C. (see Rabiti, A. L.), 549
Boucaud, J. (see Bigot, J.), 255
Bouma, T. J. (see Nielsen, K. L.), 647
Bradbury, N. J. (see Goulding, K. W. T.), 49
Brenac, V. (see Bago, B.), 581
Broadmeadow, M., Ozone and forest trees, 123
Brouat, C., Gibernau, M., Amsellem, L. & McKey, D., Corner's rules revisited: ontogenetic and interspecific patterns in leaf–stem allometry, 459
Broughton, W. J. (see Xie, Z.-P.), 361
Bruns, T. D. (see Horton, T. R.), 331
Büdel, B. (see Zotz, G.), 525
Burke, R. M. & Cairney, J. W. G., Carbohydrate oxidases in ericoid and ectomycorrhizal fungi: a possible source of Fenton radicals during the degradation of lignocellulose, 637
Caballero, R. M. (see Flores-Moya, A.), 673
Cairney, J. W. G. (see Burke, R. M.), 637
Caldwell, M. M. (see Cui, M.), 267
Canini, A., Albertano, P. & Grilli Caiola, M., Localization of Fe-containing superoxide dismutase in cyanobacteria from the Baltic Sea: depth and light dependency, 247
Canova, A. (see Rabiti, A. L.), 549
Cape, J. N., Uptake and fate of gaseous pollutants in leaves, 221
Cape, N. (see Fowler, D.), 11
Caporn, S. J. M. (see Lee, J. A.), 127
Chaffey, N. J., Barlow, P. W. & Barnett, J. R., A seasonal cycle of cell wall structure is accompanied by a cyclical rearrangement of cortical microtubules in fusiform cambial cells within taproots of *Aesculus hippocastanum* (Hippocastanaceae), 623
Chappelka, A. H. & Samuelson, L. J., Ambient ozone effects on forest trees of the eastern United States: a review, 91
Clayden, S. R., Thallus initiation and development in the lichen *Rhizocarpon lecanorinum*, 685
Cole, L., Dewey, F. M. & Hawes, C. R., Immunocytochemical studies of the infection mechanisms of *Botrytis fabae*. I. The fungal extracellular matrix in penetration and post-penetration processes, 597
——, Dewey, F. M., Hawes, C. R., Immunocytochemical studies of the infection mechanisms of *Botrytis fabae*. II. Host cell wall breakdown, 611
Collins, R. A. (see McLean, C. B.), 589
Coyle, M. (see Fowler, D.), 11
Crittenden, P. D., Nutrient exchange in an Antarctic macrolichen during summer snowfall–snow melt events, 697
Cui, M. & Caldwell, M. M., Nitrate and phosphate uptake by *Agropyron desertorum* and *Artemisia tridentata* from soil patches with balanced and unbalanced nitrate and phosphate supply, 267
Davies, D. M. & Graves, J. D., Interactions between arbuscular mycorrhizal fungi and the hemiparasitic angiosperm *Rhinanthus minor* during co-infection of a host, 555
Davison, A. W. & Barnes, J. D., Effects of ozone on wild plants, 135
de Kok, L. J. (see Stulen, I.), 61
Delaruelle, C. (see Martin, F.), 341
Dewey, F. M. (see Cole, L.), 597, 611
Dodd, J. C. (see Bago, B.), 581
Eissenstat, D. M. (see Nielsen, K. L.), 647
Ellsworth, D. S. (see Saxe, H.), 395
Farnsworth, B. (see Kleier, C.), 657
Figueroa, F. L. (see Flores-Moya, A.), 673
Finch-Savage, W. E., Steckel, J. R. A. & Phelps, K., Germination and post-germination growth to carrot seedling emergence: predictive threshold models and sources of variation between sowing occasions, 505
Fink, S. (see Schwarze, F. W. M. R.), 721
Fitter, A. H. (see Moyersoen, B.), 311
——, (see Hodge, A.), 479
——, (see Staddon, P. L.), 571
Flechard, C. (see Fowler, D.), 11
Flores-Moya, A., Gómez, I., Viñegla, B., Altamirano, M., Pérez-Rodríguez, E., Maestre, C., Caballero, R. M. & Figueroa, F. L., Effects of solar radiation on the endemic Mediterranean red alga *Rissoella verruculosa*: photosynthetic performance, pigment content and the activities of enzymes related to nutrient uptake, 673
Foissner, I., Localization of calcium ions in wounded characean internodal cells, 449
Fowler, D., Flechard, C., Skiba, U., Coyle, M. & Cape, N., The atmospheric budget of oxidized nitrogen and its role in ozone formation and deposition, 11
Foyer, C. H. (see Kingston-Smith, A. H.), 283
Friedl, T. (see Beck, A.), 709
Friess, N. (see Navas, M.-L.), 301
Galtier, N. (see Kingston-Smith, A. H.), 283
Garty, J. (see Kauppi, M.), 537
Gauthier, P., Lumaret, R. & Bédécarrats, A., Ecotype differentiation and coexistence of two parapatric tetraploid subspecies of cocksfoot (*Dactylis glomerata*) in the Alps, 741
Gehring, C. A. (see Swaty, R. L.), 733
Gibernau, M. (see Brouat, C.), 459
Gómez, I. (see Flores-Moya, A.), 673
Goulding, K. W. T., Bailey, N. J., Bradbury, N. J., Hargreaves, P., Howe, M., Murphy, D. V., Poulton, P. R. & Willison, T. W., Nitrogen deposition and its contribution to nitrogen cycling and associated soil processes, 49
Goulet, A. (see Bago, B.), 375
Graves, J. D. (see Davies, D. M.), 555
——, (see Staddon, P. L.), 571

Griffiths, B. S. (see Hodge, A.), 479
Grilli Caiola, M. (see Canini, A.), 247
Hargreaves, P. (see Goulding, K. W. T.), 49
Hawes, C. R. (see Cole, L.), 597, 611
Heath, J. (see Saxe, H.), 395
Hodge, A., Stewart, J., Robinson, D., Griffiths, B. S. & Fitter, A. H., Root proliferation, soil fauna and plant nitrogen capture from nutrient-rich patches in soil, 479
Horton, T. R. & Bruns, T. D., Multiple-host fungi are the most frequent and abundant ectomycorrhizal types in a mixed stand of Douglas fir (*Pseudotsuga menziesii*) and bishop pine (*Pinus muricata*), 331
Howe, M. (see Goulding, K. W. T.), 49
Ivory, M. (see Martin, F.), 341
Jones, G. P. (see Sukarno, N.), 321
Karjalainen, R. (see Kervinen, T.), 293
Kauppi, A. (see Kauppi, M.), 537
Kauppi, M., Kauppi, A. & Garty, J., Ethylene produced by the lichen *Cladina stellaris* exposed to sulphur and heavy-metal-containing solutions under acidic conditions, 537
Keim, P. (see Swaty, R. L.), 733
Kerley, S. J. & Read, D. J., The biology of mycorrhiza in the *Ericaceae*. XX. Plant and mycorrhizal necromass as nitrogenous substrates for the ericoid mycorrhizal fungus *Hymenoscyphus ericae* and its host, 353
Kervinen, T., Peltonen, S., Teeri, T. H. & Karjalainen, R., Differential expression of phenylalanine ammonia-lyase genes in barley induced by fungal infection or elicitors, 293
Kingston-Smith, A. H., Galtier, N., Pollock, C. J. & Foyer, C. H., Soluble acid invertase activity in leaves is independent of species differences in leaf carbohydrates, diurnal sugar profiles and paths of phloem loading, 283
Kleier, C., Farnsworth, B. & Winner, W., Biomass, reproductive output, and physiological responses of rapid-cycling Brassica (*Brassica rapa*) to ozone and modified root temperature, 657
Knapp, A. K. (see Yavitt, J. B.), 495
Kottke, I. (see Wallenda, T.), 169
Kreutzer, K. (see Rennenberg, H.), 71
Lange, O. L. (see Zotz, G.), 525
Lawrie, A. C. (see McLean, C. B.), 589
Lea, P. J., Oxides of nitrogen and ozone: can our plants survive?, 25
Lee, J. A. & Caporn, S. J. M., Ecological effects of atmospheric reactive nitrogen deposition on semi-natural terrestrial ecosystems, 127
Lindblad, P. (see Paulsrud, P.), 517
Longobucco, A. (see Tognetti, R.), 437
Lumaret, R. (see Gauthier, P.), 741
Lynch, J. P. (see Nielsen, K. L.), 647
MacKintosh, C., Regulation of plant nitrate assimilation: from ecosphysiology to brain proteins, 153
Maestre, C. (see Flores-Moya, A.), 673
Maillet, J. (see Navas, M.-L.), 301
Marini, F. (see Rabiti, A. L.), 549
Martin, F., Delaruelle, C. & Ivory, M., Genetic variability in intergenic spacers of ribosomal DNA in *Pisolithus* isolates associated with pine, eucalyptus and *Afzelia* in lowland Kenyan forests, 341
McKey, D. (see Brouat, C.), 459
McLean, C. B., Anthony, J., Collins, R. A., Steinke, E. & Lawrie, A. C., First synthesis of ericoid mycorrhizas in the Epacridaceae under axenic conditions, 589
Meyer, A. (see Zotz, G.), 525
Micheletti, S., Schanz, F. & Walsby, A. E., The daily integral of photosynthesis by *Planktothrix rubescens* during summer stratification and autumnal mixing in Lake Zürich, 233
Moyersoen, B., Fitter, A. H. & Alexander, I. J., Spatial distribution of ectomycorrhizas and arbuscular mycorrhizas in Korup National Park rain forest, Cameroon, in relation to edaphic parameters, 311
Müller, J. (see Xie, Z.-P.), 361
Murphy, D. V. (see Goulding, K. W. T.), 49
Näsholm, T., Qualitative and quantitative changes in plant nitrogen acquisition induced by anthropogenic nitrogen deposition, 87
Navas, M.-L., Friess, N. & Maillet, J., Influence of cucumber mosiac virus infection on the growth response of *Portulaca oleracea* (purslane) and *Stellaria media* (chickweed) to nitrogen availability, 301
Nielsen, K. L., Bouma, T. J., Lynch, J. P. & Eissenstat, D. M., Effects of phosphorus availability and vesicular–arbuscular mycorrhizas on the carbon budget of common bean (*Phaseolus vulgaris*), 647
Norby, R. J., Nitrogen deposition: a component of global change analyses, 189
Papen, H. (see Rennenberg, H.), 71
Paulsrud, P., Rikkinen, J. & Lindblad, P., Cyanobiont specificity in some *Nostoc*-containing lichens and in a *Peltigera aphthosa* photosymbiodeme, 517
Peltonen, S. (see Kervinen, T.), 293
Pérez-Rodríguez, E. (see Flores-Moya, A.), 673
Perez-Soba, M. (see Stulen, I.), 61
Phelps, K. (see Finch-Savage, W. E.), 505
Piché, Y. (see Bago, B.), 375, 581
Pollock, C. J. (see Kingston-Smith, A. H.), 283
Potenza, L. (see Bertini, L.), 565
Poulton, P. R. (see Goulding, K. W. T.), 49
Rabiti, A. L., Betti, L., Bortolotti, C., Marini, F., Canova, A., Bagni, N. & Torrigiani, P., Short-term polyamine response in TMV-inoculated hypersensitive and susceptible tobacco plants, 549
Ramadan, T., Ecophysiology of salt excretion in the xerohalophyte *Reaumuria hirtella*, 273
Rambold, G. (see Beck, A.), 709
Raschi, A. (see Tognetti, R.), 437
Raven, J. A. & Yin, Z.-H., The past, present and future of nitrogenous compounds in the atmosphere, and their interactions with plants, 205
Read, D. J. (see Kerley, S. J.), 353
——, (see Rouhier, H.), 367
Rennenberg, H., Kreutzer, K., Papen, H. & Weber, P., Consequences of high loads of nitrogen for spruce (*Picea abies*) and beech (*Fagus sylvatica*) forests, 71
Rikkinen, J. (see Paulsrud, P.), 517
Robinson, D. (see Hodge, A.), 479
Ro-Poulsen, H. (see Skärby, L.), 109
Rossi, I. (see Bertini, L.), 565
Rouhier, H. & Read, D. J., The role of mycorrhiza in determining the response of *Plantago lanceolata* to CO_2 enrichment, 367
Samuelson, L. J. (see Chappelka, A. H.), 91
Saxe, H., Ellsworth, D. S. & Heath, J., Tansley Review No. 98. Tree and forest functioning in an enriched CO_2 atmosphere, 395
Schanz, F. (see Micheletti, S.), 233
Schjoerring, J. K. (see Asman, W. A. H.), 27
——, Atmospheric ammonia and impacts of nitrogen deposition: uncertainties and challenges, 59
Schwarze, F. W. M. R. & Fink, S., Host and cell type affect the mode of degradation by *Meripilus giganteus*, 721
Scott, E. S. (see Sukarno, N.), 321
Sheppard, L. J. (see Skärby, L.), 109
Simon, L. (see Bago, B.), 581
Skärby, L., Ro-Poulsen, H., Wellburn, F. A. M. & Sheppard, L. J., Impacts of ozone on forests: a European perspective, 109
Skiba, U. (see Fowler, D.), 11
Smith, F. A. (see Sukarno, N.), 321
Smith, S. E. (see Sukarno, N.), 321
Staddon, P. L., Graves, J. D. & Fitter, A. H., Effect of enhanced atmospheric CO_2 on mycorrhizal colonization by *Glomus mosseae* in *Plantago lanceolata* and *Trifolium repens*, 571
Stal, L. J. & Walsby, A. E., The daily integral of nitrogen fixation by planktonic cyanobacteria in the Baltic Sea, 665
Steckel, J. R. A. (see Finch-Savage, W. E.), 505
Steinke, E. (see McLean, C. B.), 589
Stenlid, J. (see Vasiliauskas, R.), 751
Stewart, J. (see Hodge, A.), 479
Stocchi, V. (see Bertini, L.), 565
Stulen, I., Perez-Soba, M., de Kok, L. J. & van der Eerden, L., Impact of gaseous nitrogen deposition on plant functioning, 61
Sukarno, N., Smith, F. A., Scott, E. S., Jones, G. P. & Smith, S. E., The effect of fungicides on vesicular–arbuscular mycorrhizal symbiosis. III. The influence of VA mycorrhiza

on phytotoxic effects following application of fosetyl-Al and phosphonate, 321
SUTTON, M. A. (see ASMAN, W. A. H.), 27
SWATY, R. L., GEHRING, C. A., VAN ERT, M., THEIMER, T. C., KEIM, P. & WHITHAM, T. G., Temporal variation in temperature and rainfall differentially affects ectomycorrhizal colonization at two contrasting sites, 733
TEERI, T. H. (see KERVINEN, T.), 293
THEIMER, T. C. (see SWATY, R. L.), 733
THOMAS, H., Air today – gone tomorrow?, 225
THOMSEN, I. M. (see VASILIAUSKAS, R.), 751
TOGNETTI, R., LONGOBUCCO, A. & RASCHI, A., Vulnerability of xylem to embolism in relation to plant hydraulic resistance in *Quercus pubescens* and *Quercus ilex* co-occurring in a Mediterranean coppice stand in central Italy, 437
TORRIGIANI, P. (see RABITI, A. L.), 549
VAN DER EERDEN, L. (see STULEN, I.), 61
——, NITROGEN ON MICROBIAL AND GLOBAL SCALES, 201
VAN ERT, M. (see SWATY, R. L.), 733
VASILIAUSKAS, R., STENLID, J. & THOMSEN, I. M., Clonality and genetic variation in *Amylostereum areolatum* and *A. chailletii* from northern Europe, 751
VIÑEGLA, B. (see FLORES-MOYA, A.), 673
WALLENDA, T. & KOTTKE, I., Nitrogen deposition and ectomycorrhizas, 169
WALSBY, A. E. (see MICHELETTI, S.), 233
——, (see STAL, L. J.), 665
WARDLAW, I. F. (see WILLENBRINK, J.), 471
WEBER, P. (see RENNENBERG, H.), 71
WELLBURN, A. R., Atmospheric nitrogenous compounds and ozone – is NO_x fixation by plants a possible solution?, 5
WELLBURN, F. A. M. (see SKÄRBY, L.), 109
WHITHAM, T. G. (see SWATY, R. L.), 733
WIEMKEN, A. (see XIE, Z.-P.), 361
WILLENBRINK, J., BONNETT, G. D., WILLENBRINK, S. & WARDLAW, I. F., Changes of enzyme activities associated with the mobilization of carbohydrate reserves (fructans) from the stem of wheat during kernel filling, 471
WILLENBRINK, S. (see WILLENBRINK, J.), 471
WILLISON, T. W. (see GOULDING, K. W. T.), 49
WINNER, W. (see KLEIER, C.), 657
XIE, Z.-P., MÜLLER, J., WIEMKEN, A., BROUGHTON, W. J. & BOLLER, T., Nod factors and *tri*-iodobenzoic acid stimulate mycorrhizal colonization and affect carbohydrate partitioning in mycorrhizal roots of *Lablab purpureus*, 361
YAVITT, J. B. & KNAPP, A. K., Aspects of methane flow from sediment through emergent cattail (*Typha latifolia*) plants, 495
YIN, Z.-H. (see RAVEN, J. A.), 205
ZAMBONELLI, A. (see BERTINI, L.), 565
ZELLNER, H. (see ZOTZ, G.), 525
ZEPPA, S. (see BERTINI, L.), 565
ZOTZ, G., BÜDEL, B., MEYER, A., ZELLNER, H. & LANGE, O. L., *In situ* studies of water relations and CO_2 exchange of the tropical macrolichen, *Sticta tomentosa*, 525

Subject Index

14-3-3 proteins, 153
ABA, 255
Acid invertase, 283
Aesculus hippocastanum L. (horse chestnut), 623
Afzelia, 341
Air pollution, 5, 25, 49, 161
Allium cepa L., 321
Allometry, 459
Alpine ecotype, 741
Aluminium, 321
Ammonia, 27, 61, 71, 87, 201, 221
Ammonia emissions, 59
Ammonium, 205
Amylostereum spp., 751
Anabaena baltica, 247
Aphanizomenon sp., 247, 665
Apoplastic storage, 61
Arbitrary primed DNA, 751
Arbuscular mycorrhizal fungi, 581
Arbuscular mycorrhizas, 361, 367, 375, 555
Arbuscular mycorrhizas, Distribution, 311
Arginine and ornithine decarboxylases, 549
Atmosphere, 205
Atmospheric carbon dioxide, 189
Atmospheric deposition, 49
Atmospheric pollution, 71
Balanced nutrients, 267
Baltic Sea, 247, 665
Biodiversity, 135
Biogeochemistry, 205
Biomass, 657
Bipolaris sorokiniana Sacc. (Shoem.), 293
Bishop pine (*Pinus muricata* D. Don), 331
Botrytis fabae (Sard.), 597, 611
Branched absorbing structures (BAS), 375
Brassica rapa L., 255
Brassica rapa (rapid-cycling Brassica), 657
Ca^{2+} localization, 449
Carbon budget, 647
Carbon storage, 571
Carbonic anhydrase activity, 673
Carrot (*Daucus carota* L.), 505
Cavitation, 437
Cavities, 721
Cell signalling, 225
Cell walls, 623
Cellobiohydrolase-gold complex, 611
Chitinase, 353
Cinder-ash soils, 733
Clones, 751
CO_2 enrichment, 367
Compensation point, 27
Convective gas flow, 495
Co-occurrence, 311
Corner's rules, 459
Critical levels, 11
Crop establishment, 505
Crustose lichens, 685
Cucumber mosaic virus, 301
Cyanobacteria, 233, 665
Cytoskeleton, 623
Deamination, 225
Decomposition, 479
Deposition models, 27
Development, 685
Developmental constraints, 459
Diversity, 161
D:N ratio, 189
Douglas fir (*Pseudotsuga menziesii* D. Don), 331
Drought, 109, 395, 437
Dry deposition, 11, 27, 59, 201
Ecological fitness, 135
Ecosystem change, 127
Ecosystem protection, 27
Ecosystems, 91, 161
Ectomycorrhizal colonization, 733
Ectomycorrhizal fungi, 341, 733
Ectomycorrhizas, 311, 331, 565
Efficiency of excretion, 273
Elevated carbon dioxide (CO_2), 395, 571
Elicitors, 293
Endoplasmic reticulum, Exocytosis, 449
Environmental stress, 733
Epacridaceae, 589
Ericaceae, 589
Ericoid mycorrhizas, 353, 589
Errata, 595
Ethylene, 537
Eucalypt, 341
Eutrophication, 225
Evolution, 205
External mycelium, 375
Fenton's reagent, 637
Fe-superoxide dismutase, 247
Fibres, 721
Foliar injury, 91
Forest ecosystem, 71
Forest trees, 91
Forest yield loss, 123
Forests, 395
Fosetyl-Al, 321
Frost, 109
Frost tolerance, 127
Fructan exohydrolase, 471
Fructans, 471
Fruit body, 169
Fungal colonization, 367
Fungal extracellular matrices, 597, 611
Gas vesicles, 665
Gaseous nitrogen deposition, 61
Gene-specific probes, 293
Genetic variation, 751
Germination, 505
Gigaspora, 581
Global carbon cycle, 189
Global change, 189
Glomus intraradices Smith & Schenck, 375
Glomus mosseae (Nicol. & Gerd.) Gerdemann & Trappe, 361, 571
Glomus sp., 321
Glutamate dehydrogenase, 61
Glutamine synthetase, 61
Grasses, 479
Grasslands, 127, 555
Growth, 91, 109
Growth analysis, 301
Heathlands, 127, 353
Heavy metals, 537
Hexose, 283
Hordeum vulgare L. (barley), 293
Hydraulic resistance, 437
Hydrothermal time, 505
Hydroxyl radicals, 637
Hymenoscyphus ericae (Read) Korf and Kernan, 589
Hypersensitive response, 549
Immunocytochemistry, 597
Immunogold labelling, 247
Intergenic spacer, 341
Internal transcribed spacer, 341
Isozyme profiles, 581
ITS ribosomal DNA, 709
ITS–RFLP, 331
Lake Zürich, 233
Leaf anatomy, 459
Leaf–stem relationships, 459
Lichens, 517, 525, 537, 709

Light and electron microscopy, 597
Lignocellulose degradation, 637
Low root temperature, 255
Malate dehydrogenase, 581
Mature trees, 109
Mefluidide, 255
Methane, 495
Mineralization, 49
Mobilization, 471
Molecular analysis, 581
Monoclonal antibody JIM 7, 611
Monoxenic culture, 375
Morphogenesis, 361
Multitrophic interactions, 555
Mycelium, 169
Mycobionts, 709
Mycorrhizal colonization, 571
Mycorrhizal functioning, 571
Mycorrhizal fungi, 637
Mycorrhizas, 169, 201
N capture, 479
Natural vegetation, 135
Necromass, 353
Nephroma, 517
Nicotiana tabacum L. (tobacco), 549
Nitella flexilis (L.) Ag., 449
Nitrate, 87
Nitrate leaching, 59
Nitrate reductase, 153
Nitrate reductase activity, 673
Nitric acid, 205
Nitric oxide, 5, 87, 153
Nitrification, 49
Nitrogen allocation, 71
Nitrogen availability, 301
Nitrogen cycling, 49
Nitrogen deposition, 87, 127, 161, 169, 189
Nitrogen dioxide, 5, 153
Nitrogen fixation, 665
Nitrogen fluxes, 71
Nitrogen metabolism, 25
Nitrogen mineralization, 127
Nitrogen mobilization, 353
Nitrogen nutrition, 87
Nitrogen oxides, 11, 25, 61, 71, 201, 205, 221
Nitrogen pollution, 221
Nitrous oxide, 59
Nodularia spp., 247
Nodulation, 361
Nostoc, 517
Nutrients, 395
Oidiodendron griseum Robak., 589
Ontogeny, 459
Organic and inorganic patches, 479
Osmotic potential, 273
Ozone, 11, 25, 91, 109, 135, 657
Ozone pollution, 123
Paclobutrazol, 255
Palaeoecology, 205
Panama, 525
Parasitic angiosperms, 555
Pectin, 721
Peltigera, 517
Phaseolus vulgaris L. (common bean), 647
Phenotypic plasticity, 741
Phenylalanine ammonia-lyase, 293
Phloem loading, 283
Phosphate, 321
Phosphorus efficiency, 647
Phosphorus inflow, 367
Photobiont choice, 709
Photobionts, 709
Photosynthesis, 233, 395, 525, 657, 673
Physiology, 91, 169
Phytohormones, 361
Phytoplankton buoyancy, 233, 665
Phytotoxicity, 321
Pine, 341
Pisolithus, 341
Planktothrix rubescens, 233
Plant architecture, 459
Plant capacitance, 495
Plant growth, 367
Plant nitrogen demand, 61
Plant tissue culture, 589
Poaceae, 741
Pollution emissions, 27
Pollution resistance, 135
Pollution thresholds, 5
Pollution uptake, 221
Population differentiation, 741
Populations, 751
Portulaca oleracea L. (purslane), 301
Post-anthesis, 471
Process-based models, 123
Protease, 353
Prothallus, 685
Putrescine, 549
Quercus ilex L., 437
Quercus pubescens Willd., 437
Rain forest, 525
RAPD/PCR fingerprint, 565
Reaumuria hirtella Jaub. et Sp., 273
Reciprocal transplant experiments, 741
Regulation, 71
Relative excretion, 273
Resaturation respiration, 525
Reserves, 471
Resource allocation, 225
Reversible protein phosphorylation, 153
RGR, 301
Rhinanthus minor L. (yellow rattle), 555
Rhizobium sp. NGR234, 361
Rhizocarpon lecanorinum Anders, 685
Ribosomal DNA, 341
Rissoella verruculosa (Bertoloni) J. Agardh, 673
Root proliferation, 267
Root respiration, 267, 647
Root temperature, 657
Root xylem exudation, 255
SCAR marker, 565
Seasonal cycle, 623
Seedling emergence, 505
Seedlings, 109
Sero-halophyte, 273
Signalling, 153
Simulated acidic rain, 537
Soft rot, 721
Soil emissions, 11
Soil fauna, 479
Soil microbiology, 127
Soil nutrient heterogeneity, 267
Soil salinity, 273
Solar radiation, 673
Spatial integration, 267
Species composition, 161
Specificity, 331
Spermidine, 549
SSU sequences, 581
Starch, 283
Stellaria media Vill. (chickweed), 301
Stem functions, 459
Stomatal conductance, 395
Stomatal uptake, 11
Sucrose, 283
Sulphur dioxide root/shoot interaction, 61
Symbiosis, 361, 517
Temporal variation, 733
Tension-wood fibres, 721
Thallus initiation, 685
Thermal time, 505
Threshold models, 505
Tobacco mosaic virus, 549
Trace gas fluxes, 49
Tree growth, 123
Trehalase, 361
$tRNA^{Leu}$ (UAA) intron, 517
Tropical rain forest, 311

Troposphere, 5
Tropospheric ozone, 161
Tuber borchii Vittad., 565
Turnover, 225
Typha latifolia L. (cattail), 495
Ultrastructure, 169
Vascular cambium, 623
Vegetation, 161
Vesicular–arbuscular mycorrhiza, 647
Vicia faba L. (broad bean), 597, 611
Water content, 525
Water relations, 437
Wet deposition, 11, 27, 201
Wetland, 495
Wheat, 471
White rot, 721
Wild plants, 135
Wound wall, 449
Xylem embolism, 437
Yeast extract, 293